



中国船级社
CHINA CLASSIFICATION SOCIETY
工厂认可证书
CERTIFICATE OF WORKS APPROVAL

证书编号/Certificate No.
TJ23PWA00049_01

兹证明本证书所述制造厂具备按照下列标准的要求生产本证书所列产品的能力和条件。

This is to certify that the manufacturer stated in the certificate meets the requirements of the standards listed below and is available with the ability and conditions to produce the products described in the certificate.

制造厂/Manufacturer

山西太钢不锈钢股份有限公司
Shanxi Taigang Stainless Steel Co.,Ltd.

地址/Address

山西省太原市尖草坪街2号
2,Jiancaoping Steet,Taiyuan,Shanxi Province.

产品名称/Product

钢卷,钢板
Steel Coil,Steel Plates

认可标准/Approval Standard

1. 中国船级社《材料与焊接规范》（2023）及其变更通告第1篇第3章
Chapter 3, Part One of China Classification Society Rules for Materials and Welding 2023 and its Change Notices

用于/Intended for

船舶/Ships

证书有效期至/This Certificate is valid until 2027年12月15日/ Dec. 15,2027

发证机构 中国船级社天津分社
Issued by CCS Tianjin Branch

签发日期 2023年12月21日
Date Dec. 21,2023

本证书根据中国船级社规范和相关规定签发。所有证书页为一个整体，必须同时使用。纸质证书每页均须由本社盖章方为有效，电子证书含数字签名方为有效，本证书复印件无效。任何单位和个人均不应摘录或节选本证书的部分内容。有关方对所持证书的真实性有疑问时，可以向本社检验机构咨询。This Certificate is issued pursuant to the Rules of the Society and related regulation. All pages of the certificate are taken as a whole and are used simultaneously. No paper certificate page is valid without bearing the stamp of the Society, no electronic certificates is valid without the digital signature, and no copied form of the certificate is regarded as valid. Any part of the certificate is not to be extracted or abridged by any unit or individual in any form. Related parties who are doubted about the authenticity of the certificate may inquire of the Society or its offices.

Form No: W01.

联系方式/Contact Us, 见本社官方网站/See official web site of the Society (<http://www.ccs.org.cn>)



UTN:P023-68757157

产品明细/Product Description**钢卷/Steel Coil (M0001)**

名称/Name	属性 (值) /Value	单位/Unit
产品名称/Product Name	见附页 See additional pages	
钢材等级/Steel Grade	见附页 See additional pages	

钢板/Steel Plates (M0001)

名称/Name	属性 (值) /Value	单位/Unit
产品名称/Product Name	见附页 See additional pages	
钢材等级/Steel Grade	见附页 See additional pages	

批准的图纸/Approved Drawings

图纸批准号/ Drawings Approval No. : 无/Nil.

产品认可试验报告/ Approval Test Report

试验报告编号/ Test Report No. : jszx/QSR-2023-036

试验报告日期/ Test Report Date : 2023-09-07

试验报告编号/ Test Report No. : 2016-12-25

试验报告日期/ Test Report Date : 2016-12-25

试验报告编号/ Test Report No. : 2018-08-09

试验报告日期/ Test Report Date : 2018-08-09

试验报告编号/ Test Report No. : 2013-05-06

试验报告日期/ Test Report Date : 2013-05-06

试验报告编号/ Test Report No. : 20210413

试验报告日期/ Test Report Date : 2021-04-13

试验报告编号/ Test Report No. : 20210731

试验报告日期/ Test Report Date : 2021-07-31

试验报告编号/ Test Report No. : 20211201

试验报告日期/ Test Report Date : 2021-12-01

试验报告编号/ Test Report No. : 20191130

试验报告日期/ Test Report Date : 2019-11-30

试验报告编号/ Test Report No. : 20151220

试验报告日期/ Test Report Date : 2015-12-20

认可后的产品检验方式/Method of Product Inspection after Approval

按规定认可后应进行产品检验的产品/The product should be inspected in term of the rules;

认可后的产品检验应由本社验船师根据本社规范规定按批准的产品检验计划进行检验, 经检验合格后由本社颁发船用产品证书。

After approval, product inspection should be carried out by the Surveyor of the Society in accordance with the approved product inspection scheme, and the Marine Product Certificate will be issued by the Society upon satisfactory inspection.

认可保持条件/Maintenance Requirements of Approval

1. 工厂认可后, 如果图纸、技术文件、工艺规程有较大改变, 应征得本社同意。若改变涉及或影响到产品的设计、主要制造材料、关键工艺或产品的特性、特征, 则与特性有关的图纸和技术文件应经过本社审批, 并在检验机构认为必要时, 经本社检验人员到厂进行检查和见证有关试验, 其结果应能证实仍符合认可条件。

After works approval, if there are any major changes to the drawings, technical documents, specifications, prior consent should be obtained from the survey office of the Society. If the changes involve or affect product design, major construction materials, key workmanship or product

characteristics and properties, drawings and technical documents related to properties are to be examined and approved by the Society and, where deemed necessary by the survey office, the surveyor to the Society will go to the manufacturer to inspect or witness relevant tests and the results of the tests should be able to demonstrate compliance with the approval conditions

2. 工厂的质量管理体系应保持有效运行, 并且与认可时一致。如果质量管理体系发生改变, 应经原体系认证机构审核并报本社批准。

The quality management system of the factory shall be ensure effective operation, and shall be the same as the situation of approval. If there are any changes to the quality management system, auditing of the original certification organization for quality management system and the society's approval shall be obtained.

3. 工厂认可证书获得者应接受本社每年一次的定期审核, 定期审核日为认可证书期满之日对应的每一周年日, 检查工作应在定期审核日的前后三个月内进行。Those who have obtained the certificate of works approval shall receive periodical audit done by the Society on an annual basis. The date of periodical audit shall be each anniversary date which corresponds to the date of expiry of the relevant certificate and the periodical audit shall be done within a time span of three months before and after the annual surveillance date.

4. 在认可证书有效期内, 本社检验人员可在未经事先通知的情况下对工厂的产品制造过程进行审核, 以验证产品的生产是否符合业经本社批准的图纸和文件。工厂应予以配合。

Within the validity of the approval certificate, the surveyor to the Society may pay unannounced audit to the manufacturing process of the product in order to confirm whether it is in compliance with the drawings and documents approved by the Society. The factory should provide an active cooperation and necessary for the surveyor.

5. 认可证书有效期内, 如果出现可能导致本社暂停或撤销认可的情况, 工厂应及时采取有效的纠正措施。

Within the validity of the approval certificate, if cases occur that may cause the Society to suspend or withdraw the certificate, the manufacturer should take corrective actions in a prompt and effective manner.

备注/Remarks

1. 本证书由原工厂认可证书 (No. TJ21PWA00018_01) 变更并换新。

This certificate is modified and renewed from the previous Works Approval Certificate No. TJ21PWA00018_01.

2. 牌号5Ni/9Ni的焊接线能量范围为: 8KJ/cm-20KJ/cm.

The range of welding heat input (Designation 5Ni/9Ni) is: 8KJ/cm-20KJ/cm.

中国船级社天津分社

CCS Tianjin Branch

注: 本证书含有附页, 共4页

Note: The certificate is attached with additional 4 page(s)

产品明细/Product Description

1. 一般强度船体结构用钢/Normal Strength Hull Structural Steel

产品名称/ Product Name	一般强度船体结构用钢/Normal Strength Hull Structural Steel
钢材等级 /Grade	A/B/D
最大厚度/Maximum thickness	24mm
细化晶粒元素/Grain refining elements	铝+钛/Al+Ti
浇铸方式/Casting process	连铸/Continuous casting
脱氧方式/Deoxidation method	真空脱氧/Vacuum deoxidation
冶炼方式/Melting process	转炉/LD
交货状态/Condition of supply	控轧/CR
规格/Dimension	(2-24)×(1000-2130)×(6000-12000)mm
备注/Remark	上述产品为太钢热连轧厂轧制 The products mentioned above are rolled by TISCO Hot-Strip Mill.

2. 一般强度船体结构用钢/Normal Strength Hull Structural Steel

产品名称/ Product Name	一般强度船体结构用钢/Normal Strength Hull Structural Steel
钢材等级 /Grade	A/B/D
最大厚度/Maximum thickness	40mm
细化晶粒元素/Grain refining elements	铝/Al
浇铸方式/Casting process	连铸/Continuous casting
脱氧方式/Deoxidation method	真空脱氧/Vacuum deoxidation
冶炼方式/Melting process	转炉/LD
交货状态/Condition of supply	控轧/CR
规格/Dimension	(6-40)×(1000-3000)×(6000-12000)mm
备注/Remark	上述产品为太钢集团临汾钢铁有限公司轧制 The products mentioned above are rolled by TISCO LINFEN Iron& Steel Co., Ltd.

3. 高强度船体结构用钢/High Strength Hull Structural Steel

产品名称/ Product Name	高强度船体结构用钢/High Strength Hull Structural Steel
钢材等级 /Grade	AH32/AH36/DH32/DH36
最大厚度/Maximum thickness	24mm
细化晶粒元素/Grain refining elements	AH32/DH32: 铝+钛/Al+Ti AH36/DH36: 铝+铌/Al+Nb
浇铸方式/Casting process	连铸/Continuous casting
脱氧方式/Deoxidation method	真空脱氧/Vacuum deoxidation
冶炼方式/Melting process	转炉/LD
交货状态/Condition of supply	控轧/CR
规格/Dimension	(3-24)×(1000-2130)×(6000-12000)mm
备注/Remark	上述产品为太钢热连轧厂轧制 The products mentioned above are rolled by TISCO Hot-Strip Mill.

4. 高强度船体结构用钢/High Strength Hull Structural Steel

产品名称/ Product Name	高强度船体结构用钢/High Strength Hull Structural Steel
钢材等级 /Grade	AH32/AH36/DH32/DH36
最大厚度/Maximum thickness	40mm
细化晶粒元素/Grain refining elements	钒+铌/V+Nb
浇铸方式/Casting process	连铸/Continuous casting
脱氧方式/Deoxidation method	真空脱氧/Vacuum deoxidation
冶炼方式/Melting process	转炉/LD
交货状态/Condition of supply	控轧/CR
规格/Dimension	(6-40)×(1000-3000)×(6000-12000)mm
备注/Remark	上述产品为太钢集团临汾钢铁有限公司轧制 The products mentioned above are rolled by TISCO LINFEN Iron& Steel Co., Ltd.

5. 奥氏体不锈钢板/Austenitic Stainless Steel Plate

产品名称/ Product Name	奥氏体不锈钢板/Austenitic Stainless Steel Plate
牌号/Designation	06Cr19Ni10 (UNS S30400,304) 022Cr19Ni10 (UNS S30403,304L) 06Cr17Ni12Mo2 (UNS S31600,316) 022Cr17Ni12Mo2 (UNS S31603,316L) 06Cr19Ni10N (UNS S30451,304N)
最大厚度/Maximum thickness	60mm
热处理/Heat Treatment	固溶处理/Solution treated
浇铸方式/Casting process	连铸/Continuous casting
冶炼方式/Melting process	电炉+氩氧炉/EF+AOD
规格/Dimension	(6-60)×(1400-4000)×(4000-12000)mm
备注/Remark	上述产品为太钢不锈钢热轧厂 4300mm 生产线轧制 The products mentioned above are rolled by TISCO Stainless Steel Hot-Rolled Plant 4300mm production line.

6. 奥氏体不锈钢板/Austenitic Stainless Steel Plate

产品名称/ Product Name	奥氏体不锈钢板/Austenitic Stainless Steel Plate
牌号/Designation	06Cr19Ni10 (UNS S30400,304) 022Cr19Ni10 (UNS S30403,304L) 022Cr17Ni12Mo2 (UNS S31603,316L)
最大厚度/Maximum thickness	16mm
热处理/Heat Treatment	固溶处理/Solution treated
浇铸方式/Casting process	连铸/Continuous casting
冶炼方式/Melting process	电炉+氩氧炉/EF+AOD
规格/Dimension	(6-16)×(1400-2000)×(4000-12000)mm
备注/Remark	上述产品为太钢不锈钢热连轧厂轧制，太钢不锈钢热轧厂 2300mm 生产线酸洗和固溶 The products mentioned above are rolled by TISCO Hot-Strip Mill,

	pickled and solution treated by TISCO Stainless Steel Hot-Rolled Plant 2300mm product line.
--	---

7. 奥氏体不锈钢板/Austenitic Stainless Steel Plate

产品名称/ Product Name	奥氏体不锈钢板/Austenitic Stainless Steel Plate
牌号/Designation	06Cr19Ni10 (UNS S30400,304) 022Cr19Ni10 (UNS S30403,304L) 06Cr17Ni12Mo2 (UNS S31600,316) 022Cr17Ni12Mo2 (UNS S31603,316L) 06Cr19Ni10N (UNS S30451,304N)
最大厚度/Maximum thickness	60mm
热处理/Heat Treatment	固溶处理/Solution treated
浇铸方式/Casting process	连铸/Continuous casting
冶炼方式/Melting process	电炉+氩氧炉/EF+AOD
规格/Dimension	(6-60)×(1400-3000)×(4000-12000)mm
备注/Remark	上述产品为太钢集团临汾钢铁有限公司轧制 The products mentioned above are rolled by TISCO LINFEN Iron &Steel Co., Ltd.

8. 双相不锈钢板/Duplex Stainless Steel Plate

产品名称/ Product Name	双相不锈钢板/Duplex Stainless Steel Plate
牌号/Designation	UNS S32101 UNS S32304 022Cr22Ni5Mo3N (UNS S31803) 022Cr23Ni5Mo3N (UNS S32205, 2205)
最大厚度/Maximum thickness	40mm
热处理/Heat Treatment	固溶处理/Solution treated
浇铸方式/Casting process	连铸/Continuous casting
冶炼方式/Melting process	电炉+氩氧炉/EF+AOD
规格/Dimension	(6-40)×(1400-3000)×(4000-12000)mm
备注/Remark	上述产品为太钢集团临汾钢铁有限公司轧制 The products mentioned above are rolled by TISCO LINFEN Iron &Steel Co., Ltd.

9. 低温韧性钢/Steels for low temperature service

产品名称/ Product Name	低温韧性钢/Steels for low temperature service
牌号/Designation	5Ni/9Ni
最大厚度/Maximum thickness	50mm
热处理/Heat Treatment	淬火+回火/Quenching + Tempering
浇铸方式/Casting process	连铸/Continuous casting
冶炼方式/Melting process	转炉/LD
规格/Dimension	(5-50)×(1000-3000)×(6000-12000) mm
备注/Remark	上述产品为太钢集团临汾钢铁有限公司轧制

	The products mentioned above are rolled by TISCO LINFEN Iron &Steel Co., Ltd.
--	---

10. 奥氏体不锈钢板和钢卷/Austenitic Stainless Steel Plate and Coil

产品名称/ Product Name	奥氏体不锈钢板和钢卷/Austenitic Stainless Steel Plate and Coil
牌号/Designation	06Cr19Ni10 (UNS S30400,304) 022Cr19Ni10 (UNS S30403,304L) 06Cr17Ni12Mo2 (UNS S31600,316) 022Cr17Ni12Mo2 (UNS S31603,316L)
最大厚度/Maximum thickness	6mm
热处理/Heat Treatment	固溶处理/Solution treated
浇铸方式/Casting process	连铸/Continuous casting
冶炼方式/Melting process	电炉+氩氧炉/EF+AOD
规格/Dimension	板/Plate: (1.2-6)mm×(1000~2000)mm×(2000~12000)mm 卷/Coil: (1.2-6)mm×(1000~2000)mm
备注/Remark	上述产品为太钢不锈钢热连轧厂以及太钢不锈钢冷轧厂轧制 The products mentioned above are rolled by TISCO Hot-Strip Mill and TISCO Cold Rolling Mill

11. 奥氏体不锈钢板和钢卷/Austenitic Stainless Steel Plate and Coil

产品名称/ Product Name	奥氏体不锈钢板和钢卷/Austenitic Stainless Steel Plate and Coil
牌号/Designation	06Cr17Ni12Mo2 (UNS S31600,316) 022Cr17Ni12Mo2 (UNS S31603,316L)
最大厚度/Maximum thickness	12mm
热处理/Heat Treatment	固溶处理/Solution treated
浇铸方式/Casting process	连铸/Continuous casting
冶炼方式/Melting process	电炉+氩氧炉/EF+AOD
规格/Dimension	板/Plate: (6-12)mm×(1000~2000)mm×(2000~12000)mm 卷/Coil: (6-12)mm×(1000~2000)mm
备注/Remark	上述产品为太钢不锈钢热连轧厂轧制，太钢不锈钢冷轧厂酸洗和固溶 The products mentioned above are rolled by TISCO Hot-Strip Mill, pickled and solution treated by TISCO Cold Rolling Mill.

<结束/End>